ORDER FOR SUPPLIES OR SERVICES								PAGE 1 OF 25				
	HZV-04-P-0		ER/AGREEMENT NO.	2. DELIV	VERY ORDER	/CALL NO.	3. DATE OF ORD (YYYYMMMDD) 2004FEB06	ER/CAL		JISITION/PURCH RE	QUEST NO.	5. PRIORITY DOA4
6. ISSUEL	) BY		-	CODE	W56HZV	7. ADMINIST	ERED BY (If other t	han 6)	SEE		1501A	8. DELIVERY FOB
AMS MAR WAR	REN, MICHI	RY GAI	BLDG 231 (586)574-6359 N 48397-5000 @TACOM.ARMY.MIL ING.TACOM.ARMY.M	1IL		EMM 889 IND	IA INDIANAPOI IETT J. BEAN C 9 E. 56TH ST. IANAPOLIS, IN	ENTER I 462		ADD DT. 110025	0.7	DESTINATION  X OTHER (See Schedule if other)
9. CONTR	ACTOR			CODE	34623	SCD: A FACIL			ELIVER TO F	ADP PT: HQ033 OB POINT BY (Date)		11. X IF BUSINESS IS
	•						•	(Y	YYYMMMDI	<b>D</b> )		SMALL
NAME AND	P O BC	OUT!	H BYRKIT STREET	28					SCHEDULE			SMALL DISADVANTAGED WOMAN-OWNED
ADDRESS	j.											WOMAN-OWNED
	• TYPE F	BUS	INESS: Large Bus	siness J	Performing	g in U.S.	•		Block 15	S TO THE ADDRESS	IN BLOCK	
14. SHIP 1				CODE			T WILL BE MADE			COD	E HQ0337	MARK ALL PACKAGES AND
SEE	SCHEDULE					DFA P.O	S - COLUMBUS S-CO/NORTH EN BOX 182266 UMBUS OH	TITLE	MENT OPER	RATION		PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
16. TYPE	DELIVERY/ CALL		THIS DELIVERY ORDE	R IS ISSUED	ON ANOTHER O	GOVERNMENT AG	GENCY OR IN ACCORD	ANCE W	ITH AND SUBJE	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.
OF ORDER	PURCHASE	x	Reference your	Oral		-	AE0703QS362 specified herein.	, D	ated	·		
			ACCEPTANCE. THE							MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIG (YYYYMM)  If this box is marked, supplier must sign Acceptance and return the following number of copies:												
	SCHEDULE	APP	PROPRIATION DATA/L(	JCAL USE								
18. ITEM	NO. 19. SO	СНЕ	EDULE OF SUPPLIES/SE	ERVICE			20. QUANTITY ORDERED/ ACCEPTED*	?	21. UNIT	22. UNIT PRICE	23. AMOUNT	
	CONT F: KINI	TRA irm D O	CHEDULE ACT TYPE: a-Fixed-Price OF CONTRACT: bly Contracts and	d Drigo	d Ordora							
* TF					STATES OF A	AMEDICA					25. TOTAL	\$15,099.30
same as qu	accepted by the	indi	icate by X.	+. UNITED	MARIE T.	GAPINSKI	/SIGNED/ Y.MIL (586)57	4-533	13		26.	
quantity o	rdered and encir	rcle.		BY:			(300)37			RDERING OFFICER	DIFFERENCES	)
	PECTED COLU	_	N 20 HAS BEEN RECEIVED	ACCEPTEI	O AND CONFO	ORMS TO CON	TRACT EXCEPT AS	NOTEI	0			
		_	RIZED GOVERNMENT I		-	JAMS TO COLL	c. DATE (YYYYMMMD		d. PRINTE	D NAME AND TITLE SENTATIVE	OF AUTHORIZE	D GOVERNMENT
e. MAILI	NG ADDRESS (	OF A	AUTHORIZED GOVERN	MENT RE	PRESENTATI	VE	28. SHIP. NO.		29. D.O. VOU	CHER NO.	30. INITIALS	
f. TELEP	HONE NUMBE	R	g. E-MAIL A	ADDRESS			PARTIA	L	32. PAID BY		33. AMOUNT V	ERIFIED CORRECT FOR
36. I CER	TIFY THIS ACC	COL	INT IS CORRECT AND I	PROPER F	OR PAYMEN	т.	I FINAL 31. PAYMENT				34. CHECK NU	MBER
a. DATE			b. SIGNATURE AND				COMPL	ETE			35. BILL OF LA	ADING NO.
(YYYYMI	MMDD)						FINAL	L			COVERED OF EA	22.0.10
37. RECE	IVED AT		38. RECEIVED BY (P	'rint)	39. DATE RE		40. TOTAL CO TAINERS	DN-	41. S/R ACCO	OUNT NUMBER	42. S/R VOUCH	ER NO.

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Page 2 of 25

Name of Offeror or Contractor: AM GENERAL LLC

over guidance found on the TACOM contracting web page.

SUPPLEMENTAL INFORMATION

1

Regulatory Cite	Title	Date
52.204-4016	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003
(TACOM)		

- (a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<a href="http://contracting.tacom.army.mil/opportunity.htm">http://contracting.tacom.army.mil/opportunity.htm</a>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <a href="http://contracting.tacom.army.mil/userguide.htm">http://contracting.tacom.army.mil/userguide.htm</a> and <a href="http://contracting.tacom.army.mil/ebidnotice.htm">http://contracting.tacom.army.mil/ebidnotice.htm</a> for more information. Any requirements included in the solicitation take precedence
- (b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.
- (c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.
- (d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.
- (e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: <a href="mailto:acqcenweb@tacom.army.mil">acqcenweb@tacom.army.mil</a>
- (f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <a href="http://www.ecrc.ctc.com">http://www.ecrc.ctc.com</a>

[End of Clause]

THIS IS A COMPETITIVE BUY

\*\*\* END OF NARRATIVE A 001 \*\*\*

# Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

**Page** 3 **of** 25

Name of Offeror or Contractor: AM GENERAL LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 2510-01-354-0417 FSCM: 19207 PART NR: 12339644-8G1 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	19	EA	\$ 794.70000	\$15,099.30
	NOUN: SHELL, CARGO, VEHICUL PRON: EH31E877EH PRON AMD: 01 ACRN: AA AMS CD: 060011				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENT SHEET LEVEL PRESERVATION: Military LEVEL PACKING: A				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance  DOC SUPPL  REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD  001 W56HZV3246T903 W25G1U J 2  DEL REL CD QUANTITY DAYS AFTER AWARD  001 10 0150				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS  (W25GlU) XU TRANSPORTATION OFFICER  DDSP NEW CUMBERLAND FACILITY  BUILDING MISSION DOOR 113 134  NEW CUMBERLAND PA 17070-5001				
	CONTRACT/DELIVERY ORDER NUMBER W56HZV-04-P-0230/0000				
	DOC         SUPPL           REL CD         MILSTRIP         ADDR         SIG CD         MARK FOR         TP CD           002         W56HZV3246T904         SW3227         J         2           DEL REL CD         QUANTITY         DAYS AFTER AWARD           001         9         0150				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS  (SW3227) DEF DIST DEPOT RED RIVER  RECEIVING BLDG 499  10TH STREET AND K AVENUE				

# Reference No. of Document Being Continued PIIN/SIIN $^{W56HZV-04-P-0230}$ MOD/AMD

Page 4 of 25

Name of Offeror or Contractor: AM GENERAL LLC

EM NO	SUPPLIES/SE	RVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	TEXARKANA	TX 75507-5000				
	CONTRACT/DELIVE	RY ORDER NUMBER P-0230/0000				
	Wagner of	0250,0000				

·			Reference No. of Document Being Continued					Page 5 of 25			
	CONTINUATION SHEET			PIIN/SIIN W56HZV-04-P-0230			MOD/AMD				
Name	of Offeror or	Contractor	AM GENERAL	LLC							
CONTRAC	T ADMINISTRA	TION DATA									
	PRON/						JO	В			
LINE	AMS CD/	OBLG					OR	DER	ACCOUNTI	NG	OBLIGATED
<u>ITEM</u>	MIPR	ACRN STAT	ACCOUNTING	CLASSIFICATION			<u>NU</u>	MBER	STATION		AMOUNT
0001AA	EH31E877EH	AA 2	97 X4930A	C9D 6D	26KB	S20113			W56HZV	\$	15,099.30
	060011										
									TOTAL	\$	15,099.30
SERVICE	:							ACCOU	NTING		OBLIGATED
NAME	TOTA	L BY ACRN	ACCOUNTING	CLASSIFICATION				STATIO	<u>NC</u>		AMOUNT
Army		AA	97 X4930A	C9D 6D	26KB	S20113		W56HZ	V	\$ _	15,099.30
									TOTAL	\$	15,099.30

CONTINUA	TION	CHEET	

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

**Page** 6 **of** 25

Name of Offeror or Contractor: AM GENERAL LLC

CONTRACT CLA	AUSES		
2	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
3	52.222-19	CHILD LABORCOOPERATION WITH AUTHORITIES AND REMEDIES	SEP/2002
4	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
5	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUN/2003
6	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFERCENTRAL CONTRACTOR REGISTRATION	OCT/2003
7	52.242-10	F.O.B. ORIGINGOVERNMENT BILLS OF LADING OR PREPAID POSTAGE	APR/1984
8	52.246-2	INSPECTION OF SUPPLIESFIXED PRICE	AUG/1996
9	52.246-23	LIMITATION OF LIABILITY	FEB/1997
10	52.247-1	COMMERCIAL BILL OF LADING NOTATIONS the notation set forth in	APR/1984
		paragraph (a) of the clause applies in this contract. The agency	
		name in line one of the notation shall read:US ARMY TANK-AUTOMOTIVE &	
		ARMAMENTS COMMAND	
11	52.247-29	F.O.B. ORIGIN	JUN/1988
12	52.247-59	F.O.B. ORIGIN - CARLOAD AND TRUCKLOAD SHIPMENTS	APR/1984
13	52.247-65	F.O.B. ORIGIN - PREPAID FREIGHT - SMALL PACKAGE SHIPMENTS	JAN/1991
14	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
15	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
16	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I	DEC/2000
		dated Dec 2000)	
17	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

- (a) Definition: <u>Qualification requirement</u>, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.
- (b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S) (Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

U.S. ARMY

FORT BELVOIR RESEARCH

DEVELOPMENT AND ENGINEERING

ATTN: STRBE-TSE

FORT BELVOIR, VA 22060-5606

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.

- (e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.
- (f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or

#### Reference No. of Document Being Continued

**PIIN/SIIN** W56HZV-04-P-0230

MOD/AMD

**Page** 7 **of** 25

Name of Offeror or Contractor: AM GENERAL LLC

source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause] 18 52.219-1 SMALL BUSINESS PROGRAM REPRESENTATIONS--ALTERNATE I dated APR 2002) APR/2002 (a) (1) The North American Industry Classification System (NAICS) code for this acquisition is 336211 . (2) The small business size standard is 1,000. (3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees. (b) Representations. (1) The offeror represents as part of its offer that it  $[\phantom{x}]$  is,  $[\phantom{x}]$  is not, a small business concern. (2) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents, for general statistical purposes, that it [ ] is, [ ] is not, a small disadvantaged business concern as defined in 13 CFR 124.1002. (3) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents as part of its offer that it [ ] is, [ ] is not, a woman-owned small business concern. (4) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offferor represents as part of its offer that it [ ] is, [ ] is not, a veteran-owned small business concern. (5) [Complete only if the offeror represented itself as a veteran-owned small business concern in paragraph (b)(4) of this provision.] The offeror represents as part of its offer that it [ ] is, [ ] is not, a service-disabled veteran-owned small business (6) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents, as part of its offer, that -(i) It [ ] is, [ ] is not, a HUBZone small business concern listed, on the date of this representation, on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration, and no material change in ownership and control, principal office, or HUBZone employee percentage has occurred since it was certified by the Small Business Administration in accordance with 13 CFR part 126; and (ii) It [ ] is, [ ] is not, a joint venture that complies with the requirements of 13 CFR part 126, and the representation in paragraph (b)(6)(i) of this provision is accurate of the HUBZone small business concern or concerns that are participating in the joint venture. [The offeror shall enter the name or names of the HUBZone small business concern or concerns that are participating in the joint venture]: Each HUBZone small business concern participating in the joint venture shall submit a separate signed copy of the HUBZone representation. (7) [Complete if offeror represented itself as disadvantaged in paragraph (b)(2) of this provision.] The offeror shall check the category in which its ownership falls: [ ] Black American. [ ] Hispanic American. [ ] Native American (American Indians, Eskimos, Aleuts, or Native Hawaiians). [ ] Asian-Pacific American (persons with origins from Burma, Thailand, Malaysia, Indonesia, Singapore, Brunei, Japan, China, Taiwan, Laos, Cambodia (Kampuchea), Vietnam, Korea, The Philippines, U.S. Trust Territory of the Pacific Islands (Republic of Palau), Republic of the Marshall Islands, Federated States of Micronesia, the Commonwealth of the Northern Mariana Islands, Guam, Samoa, Macao, Hong Kong, Fiji, Tonga, Kiribati, Tuvalu, or Nauru). [ ] Subcontinent Asian (Asian-Indian) American (persons with origins from India, Pakistan, Bangladesh,

Sri Lanka, Bhutan, the Maldives Islands, or Nepal). [ ] Individual/concern, other than one of the preceding.

#### Reference No. of Document Being Continued **CONTINUATION SHEET**

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Page 8 of 25

Name of Offeror or Contractor: AM GENERAL LLC

(c) Definitions. As used in this provision--

"Service-disabled veteran-owned small business concern"-

- (1) Means a small business concern-
- (i) Not less than 51 percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more service-disabled veterans; and
- (ii) The management and daily business operations of which are controlled by one or more service-disabled veterans or, in the case of a veteran with permanent and severe disability, the spouse or permanent caregiver of such veteran.
- (2) Service-disabled veteran means a veteran, as defined in 38 U.S.C. 101(2), with a disability that is service-connected, as defined in 38 U.S.C. 101(16).

"Small business concern," means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the criteria in 13 CFR Part 121 and the size standard in paragraph (a) of this provision.

"Veteran-owned small business concern" means a small business concern-

- (1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and
  - (2) The management and daily business operations of which are controlled by one or more veterans.

"Women-owned small business concern." means a small business concern --

- (1) That is at least 51 percent owned by one or more women; or, in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and
  - (2) Whose management and daily business operations are controlled by one or more women.
  - (d) Notice.
- (1) If this solicitation is for supplies and has been set aside, in whole or in part, for small business concerns, then the clause in this solicitation providing notice of the set-aside contains restrictions on the source of the end items to be furnished.
- (2) Under 15 U.S.C. 645(d), any person who misrepresents a firm's status as a small, HUBZone small, small disadvantaged, or women-owned small business concern in order to obtain a contract to be awarded under the preference programs established pursuant to section 8(a), 8(d), 9, or 15 of the Small Business Act or any other provision of Federal law that specifically references section 8(d) for a definition of program eligibility, shall --
  - (i) Be punished by imposition of fine, imprisonment, or both;
  - (ii) Be subject to administrative remedies, including suspension and debarment; and
  - (iii) Be ineligible for participation in programs conducted under the authority of the Act.

[End of Provision]

19 52.204-4006 INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED MAY/2000 ACOUISITIONS AND DESIGNATION OF F.O.B. POINT

- (a) This Request for Quotation (RFO) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.
- (b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: http://contracting.tacom.army.mil/opportunity.htm
- (c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFO or PO specifies F.O.B. Origin.

CON	JTTN	JTIA	TIO	V CI	HEET
TADE:	1111	NUA	. 1 1( /)	1 2	

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Page 9 of 25

Name of Offeror or Contractor: AM GENERAL LLC

(d) We hereby specify that the required F.O.B. point for this acquisition is ORIGIN.

(e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

20 52.211-4515 PACKAGING REQUIREMENT (SPECIAL PACKAGING INSTRUCTIONS) SEP/2003 (TACOM)

- (a) Military preservation, packing, and marking for this order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Packaging Documentation contained in the TDP.
  - (1) LEVEL OF PRESERVATION: Military
  - (2) LEVEL OF PACKING: 001
  - (3) QUANTITY PER UNIT PACKAGE: NONE
- (b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage
  - (c) Marking:
- (1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston).
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels may be created using the Computer Automated Transportation Tool Military Shipment Label/Issue Receipt Release Document (CATT MSL/IRRD). See the web site: http://www.asset-trak.com/catt/catt.htm. The software may be downloaded at: http://www.asset-trak.com/catt/msl\_irrd/msl\_irrddownload.htm. Be sure to bookmark this page for future releases of CATT MSL/IRRD.
- (d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Name of Offeror or Contractor: AM GENERAL LLC

**CONTINUATION SHEET** 

(e) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(f) SUPPLEMENTAL INSTRUCTIONS: NONE

[End of Clause]

21 52.242-4008 ROUTING OF SPECIAL PROCESS APPROVALS (TACOM)

AUG/1994

Page 10 of 25

- (a) Specification TT-490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.
- (b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.
- (c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

22 52.246-4005 INSPECTION AND ACCEPTANCE POINTS: ORIGIN (TACOM)

FEB/1995

- (a) Inspection and acceptance of supplies offered under this purchase order shall take place as specified herein. Inspection: ORIGIN Acceptance: ORIGIN
  - (b) Origin inspection shall take place at the site specified below:

AM GENERAL LLC
SERVICE PARTS LOGISTICS OPERATIONS
P.O. BOX 728
MISHAWAKA, IN 46546-0728

[End of Clause]

23 52.246-4053 USE OF MIL-STD 1916 (TACOM)

JAN/2001

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD- 1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

24 52.222-25 AFFIRMATIVE ACTION COMPLIANCE APR/1984

The offeror represents that

(1) It [ ] has developed and has on file

52 247-60

(iii) Item \_\_\_\_\_

25

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Page 11 of 25

DEC/1989

Name of Offeror or Contractor:	AM	GENERAL	LLC	
--------------------------------	----	---------	-----	--

[ ] has not developed and does not have on file,

GUARANTEED SHIPPING CHARACTERISTICS

at each establishment, affirmative action programs required by the rules and regulations of the Secretary of Labor (41 CFR 60-1 and 60-2), or

(2) It [ ] has not previously had contracts subject to the written affirmative action programs requirement of the rules and regulations of the Secretary of Labor.

[End of Provision]

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate. (1) To be completed by the offeror: Type of "Outer" container: Wood Box [ ], Fiber Box [ ], Barrel [ ], Reel [ ], Drum [ ], (i) Other (Specify) \_ Shipping configuration: Knocked-down [ ], Set-up [ ], Nested [ ], Other (specify) \_\_\_\_\_; (ii) Size of outer container: 63.3 inches (Length), x 24.6\_\_\_\_ inches (Width), x 27.3 inches (Height) (iii) = 24.6 Cubic FT; (iv) Number of items per outer container <u>1</u> Each; (v) Gross weight of outer container and contents  $\underline{\ \ 151}$  LBS Palletized/skidded [ ] Yes [ ] No; (vi) Number of outer containers per pallet/skid \_\_\_ (viii) Weight of empty pallet bottom/skid and sides \_\_\_ (ix) Size of pallet/skid and contents \_\_\_\_\_ LBS Cube \_\_ (x)Number of outer containers or pallets/skids per railcar \_\_\_ Size of railcar \_\_\_\_\_ Type of railcar \_\_\_\_\_ (xi) Number of outer containers or pallets/skids per trailer \_\_\_\_\_ \*--Size of trailer \_\_\_\_\_ Type of trailer \*Number of complete units (contract line item) to be shipped in carrier's equipment. (2) To be completed by the Government after evaluation but before contract award: (i) Rate used in evaluation Tender/Tariff \_\_\_\_; (ii)

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Page 12 of 25

Name of Offeror or Contractor: AM GENERAL LLC

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of Clause]

26 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002) MAY/2002

- (a) Definitions. As used in this clause--
- (1) <u>Components</u> means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.
  - (2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.
  - (3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.
  - (4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.
- (5) <u>Subcontractor</u> means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.
- (6) <u>Supplies</u> means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.
- (i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.
- (ii) <u>Supplies</u> includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.
- (7) <u>U.S.-flag vessel</u> means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.
  - (b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
    - (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
      - (i) This contract is a construction contract; or
      - (ii) The supplies being transported are-
        - (A) Noncommercial items; or
        - (B) Commercial items that-
  - (1) The Contractor is reselling or distributing to the Government without adding value (generally,

the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

- (2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or
- (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in
- accordance with 10 U.S.C. 2643.
- (c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--
  - (1) U.S.-flag vessels are not available for timely shipment;
  - (2) The freight charges are inordinately excessive or unreasonable; or
  - (3) Freight charges are higher than charges to private persons for transportation of like goods.
- (d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing

#### Reference No. of Document Being Continued

**PIIN/SIIN** W56HZV-04-P-0230

MOD/AMD

Page 13 of 25

Name of Offeror or Contractor: AM GENERAL LLC

date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

- (1) Type, weight, and cube of cargo;
- (2) Required shipping date;
- (3) Special handling and discharge requirements;
- (4) Loading and discharge points;
- (5) Name of shipper and consignee;
- (6) Prime contract number; and
- (7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.
- (e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information-
  - (1) Prime contract number;
  - (2) Name of vessel;
  - (3) Vessel flag of registry;
  - (4) Date of loading;
  - (5) Port of loading;
  - (6) Port of final discharge;
  - (7) Description of commodity;
  - (8) Gross weight in pounds and cubic feet if available;
  - (9) Total ocean freight in U.S. dollars; and
  - (10) Name of the steamship company.
- (f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

27 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING (TACOM)

DEC/2002

- (a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website http://farsite.hill.af.mil/
- (b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: http://www.ccr.gov/ . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)
- (c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

**Page** 14 **of** 25

Name of Offeror or Contractor: AM GENERAL LLC

Warren: http://contracting.tacom.army.mil/awards\_official.htm Rock Island: http://aais.ria.army.mil/AAIS/AWDINFO/index.htm Picatinny: http://procnet.pica.army.mil/Contracts/Index.htm

Red River Army Depot: http://www.redriver.army.mil/contracting/Awards

Anniston Army Depot: http://www.anadprocnet.army.mil

- (d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.
- (1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".
- (2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at http://www.acq.osd.mil/ec/ecip/index.htm . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.
- (e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:
  - (1) Microsoft\* 97 Office Products (TACOM can currently read OFFICE 97\* and lower.): Word, Excel, Powerpoint, or Access
  - (2) 100 OR 250 MEGABYTE ZIP\*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM
  - (3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).
- (4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

[End of Clause]

28 52.204-4008 REQUIRED USE OF ELECTRONIC DATA INTERCHANGE (EDI)
(TACOM)

MAY/2000

The Government reserves the right to commence issuing orders to the contract within 90 calendar days after contract award. Any modifications and any delivery orders will be delivered electronically to the contractor using Electronic Data Interchange (EDI) via the Federal Acquisition Network (FACNET). Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

[End of Clause]

29 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999 (TACOM)

- (a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFOs.)
- (b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.
- (c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can

# CONTINUATION SHEET Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230

Page 15 of 25

MOD/AMD

Name of Offeror or Contractor: AM GENERAL LLC

contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

- (d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.
- (e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

30 52.211-4008 DRAWING LIMITATIONS (TACOM)

NOV/2002

- (a) The drawings supplied with this contract are <u>not</u> shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:
  - (1) depict the completed (item(s), and
  - (2) serve as the basis for inspection of the completed item(s).
- (b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.
- (c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.
- (d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.
- (e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

- 31 52.211-4016 TT-C-490, TYPE I, ZINC PHOSPHATE PRETREATMENT SYSTEMS FOR CARC OCT/2002 (TACOM)
- (a) If the technical data package requires the use of a TT-C-490, Type I, pretreatment system, the process including primer application must be approved by the procuring activity prior to use. All approved facilities have been provided a letter of system approval which identifies the specific phosphate chemical system and the limitations/exceptions authorized. These approval letters must be dated no later than January 1989. Letters of approval which do not identify the chemical system are limited to approval on a specific contract only and do not have carte blanc approval. Approvals are substrate specific. The default qualification is low carbon steel. Heat treated, low alloy steel and galvanized steels require special qualification.
- (b) Any zinc phosphate application facility requesting approval must submit the procedure to TACOM, ATTN: AMSTA-TR-E/267 for review at least 35 days before planned start-up. The procedure must identify the prime contractor and the contract number. The procedure must contain all the elements required per paragraph 3.2 of TT-C-490. A qualification audit will be arranged with the facility. The facility must demonstrate its ability to perform all required process control tests and operate successfully within its designated operating parameters.
- (c) If the contractor cannot find a capable facility within his area, a list of TACOM approved facilities is available at http://contracting.tacom.army.mil/engr/eng.htm . These facilities are capable of meeting the performance requirements in the specification.
- (d) For all TT-C-490, Type I facilities, the sentence "Sampling may then be reduced to one sample twice per week" in paragraph 4.2.8 of TT-C-490 is deleted and replaced with the following "Sampling for production control is required with the testing of two phosphated and primed specimens per month for each solvent-borne primer used and two specimens every two months for electrocoat primers".

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Page 16 of 25

Name of Offeror or Contractor: AM GENERAL LLC

ADHESION AND CORROSION RESISTANCE OF THE CARC SYSTEM:

minus 1.0 mil then you must qualify the extremes of the range separately.

[End of Clause]

32 ENHANCED CARC REQUIREMENTS FOR HIGH PERFORMANCE SYSTEMS JUN/2002 (a) THE FOLLOWING REQUIREMENTS SUPERSEDE THE PERFORMANCE REQUIREMENTS CONTAINED IN TT-C-490, MIL-C-5541 AND MIL-C-53072 RELATIVE TO THE

- (b) Ferrous and galvanized surfaces shall be cleaned and pretreated to provide the following level of performance on a repeatable basis. The cleaning/pretreatment/control process shall be documented and submitted to the procuring activity for approval prior to production. Qualification and process control testing shall be performed on the same substrate used in production. The system under test shall consist of the pretreatment and primer. There are significant variations in performance due to primer manufacturer, VOC content and primer thickness variation. Sufficient testing shall be conducted to achieve a statistical confidence in both the brand/type of primer used and the dry film thickness used in production. If the tolerance of the dry film thickness exceeds plus or
- (c) To verify the corrosion resistance, a minimum of three test panels per test variation no smaller than 4 x 12 inches with the pretreatment/primer system as noted above shall be subjected to 1000 hr. of neutral salt spray per ASTM B117 (40 cycles of GM 9540P scribed is the preferred alternative) for ferrous substrates or 40 cycles of GM 9540P for galvanized surfaces. The test panels shall be cured for a minimum of 7 days and vertically scribed through the coating system to the metallic layer. A minimum of 24 hr. after the completion of the neutral salt spray test or within 5 days after completion of the GM 9540P test the scribe shall be scraped at a 30 degree (approximate) contact angle with a 38mm (approximate) blunt tipped metal blade such as a putty knife parallel and perpendicular to the scribe. There shall be no more than 3mm maximum loss of paint adhesion or corrosion at any point from the scribe line. In addition, there shall be no more than 5 blisters in the field with none exceeding 1mm; corrosion in the field shall not exceed Rust Grade 9 of ASTM D610. The minimum primer dry film thickness noted on the test panels which pases the corrosion resistance test shall be the minimum requirement for production painted hardware.
- (d) To verify long term CARC adhesion, after completion of the corrosion resistance test evaluation each test panel will be subjected to cross hatch tape test (minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 x 4 scribe lines to the metallic layer at 2mm intervals(approximate) and shall be done no closer than 12 mm from any edge or the scribe creep. Multiple head cutters are not recommended. Loss of two or more complete primer squares shall constitute failure.
- (e) The contractor must demonstrate the ability to pass both tests for the system to be considered acceptable. This testing shall be performed on 5 consecutive days of production. If all test panels are acceptable, the testing can revert to two test panels every two months of production.
- (f) The only system that is currently available to achieve this level of performance is a zinc phosphate pretreatment system per TT-C-490 with a high quality primer. All primers used must be on the QPL for MIL-P-23377, 53022, -53030, or 53084. Not all QPL primers with the exception of electrocoat primers per MIL-C-53084 have this level of corrosion resistance/paint adhesion, however. New high performance, "Combat Grade" Powder Coat Primers will also meet this performance requirement. These primers can only be applied by approved applicators. The Specification controlling both the primers and their application are available upon request from AMSTA-TR-E/MEPS, (586) 574-5083.

Note: Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed for the coating system to pass these performance tests.

- (g) For aluminum substrates the required pretreatment system is a chromate conversion per MIL-C-5541. If alternative pretreatment systems wish to be considered, they must demonstrate their ability to pass when coated with the nominal production primer (scribed) 120 cycles of GM 9540P. After completion of the test, the panels shall be scraped as noted above and shall have no more than 0.5mm of paint loss maximum from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm. After completion of the 120 cycle test, the cross hatch scribe test noted above shall be performed. The removal of one or more complete squares of primer shall constitute failure. The alternate system must demonstrate its ability to provide an acceptable product on 5 consecutive days of production to be considered a suitable alternative. The alternative process must be documented and approved by the procuring activity. Controls must be established to assure that the process remains under statistical control. The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.
- (h) Failure to meet the corrosion resistance/adhesion requirements shall be cause for rejection of all production units manufactured during that production interval.
  - (i) Final Acceptance of the CARC Finish on Production Hardware:

The dry film thicknesses of the primer and topcoat as well as coating adhesion on the fully cured primer/topcoat coating system are mandatory requirements. Variations in the primer thickness and curing conditions will dramatically affect recoat windows and coating performance for some primers. Manufacturing processes which are unable to control the dry film thickness to the requirements contained in Table V of MIL-C-53072 shall be subjected to the 4 x 4 cross hatch scribe test noted above on two production units per lot with two

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Page 17 of 25

Name of Offeror or Contractor: AM GENERAL LLC

tests per unit. One test shall be conducted on a vertical and one on a horizontal surface (relative to the painting process). There shall be a maximum removal of one complete square of primer/topcoat or topcoat only. The polyurethane CARC topcoat requires approximately 24 days to completely cure at 68 Degrees F. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190-210 degrees F for three hours (this is time at temperature and is, therefore, material thickness dependent) once the topcoat has reached a dry-to-touch condition. This is to be followed by 7 days at 65 degrees F minimum. Adhesion testing shall be performed only on a completely cured CARC finish. Contractors which have performed a thorough design of experiments methodology to evaluate the impact of paint system variables or have processes which meet Table V requirements can perform the final acceptance adhesion test on representative test coupons.

[End of Clause]

33 52.211-4021

WELDING SYMBOLS - CLARIFICATION OF GROOVE WELDING SYMBOL

APR/1995

(TACOM)

You must interpret welding symbols in accordance with AWS A2.4, except in the case of groove welds. In the case of groove welds, if the drawing doesn't specify an effective throat and/or weld size, interpret the dimension to the left of the groove welding symbol to mean both depth of preparation and effective throat/weld size.

[End of Clause]

34 52.211-4030

SPECIAL TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS

MAR/2001

(TACOM)

(CARC) ON METALLIC SURFACES

(a) <u>Application</u>: MIL-C-46168

MIL-C-53039 MIL-PRF-22750

- (b) <u>End-Item Paint Inspection</u>: After the complete paint finish has been applied and cured\* (See \*Note, below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a <u>lot</u> shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in the Film Thickness Table below. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:
  - (1) Directly adjacent to a weld
  - (2) On or directly adjacent to a machine cut or sheared edge.
  - (3) On any mechanically formed surface when lubricants/drawing compounds were used.
  - (4) On paint touch-up areas.
- (c) The precise location for each scribe tape test shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.
- (d) Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in the Film Thickness Table below.

\*Note: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take from 24 days.

#### (e) <u>Test Methods</u>:

- (1) <u>Film Thickness</u>. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.
  - (2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry

PIIN/SIIN W56HZV-04-P-0230 MOD/AMD

Name of Offeror or Contractor: AM GENERAL LLC

**CONTINUATION SHEET** 

to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

- (i) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.
- (ii) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.
- (iii) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.
- (iv) Wait 10 seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

#### (f) Interpretation of Test Results

NOTE: These two tests are not a substitute for corrosion tests such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

#### FILM THICKNESS TABLE

SPECIFICATION	DRY FILM THICKNESS (Mils)
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022	1.0 - 1.5
MIL-PRF-22750	1.3 - 1.7
MIL-P-53030	1.0 - 1.5
MIL-C-46168	1.8 - 3.2
MIL-C-53039	1.8 - 3.2

\*May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Notice: The scribe tape test is designed to detect any deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (i) Inadequate cleaning of the substrate.
- (ii) Contamination of the surface between coatings.
- (iii) Excessive paint film thickness in a single coating application.
- (iv) Application of a coating over a previous coating which has not been adequately cured.

It is strongly recommended that the Contractor implement rigid in-process controls in conjunction with the best industrial painting practices to ensure that the performance requirements specified in this clause are met.

[End of Clause]

Page 18 of 25

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Page 19 of 25

Name of Offeror or Contractor: AM GENERAL LLC

(TACOM)

- (a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.
- (b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM AMSTA-CM-CDD (TDP Requests) Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Gerri Mackey and Diane Woods at (586) 574-7061, and Gloria McCullough at (586) 574-7064.

[End of Provision]

36 52.211-4047 NOTICE TO OFFERORS INTENDING TO OFFER OTHER THAN NEW MATERIAL APR/2000 (TACOM) (NEGOTIATED)

- (a) We intend to acquire only new material. Unless this contract otherwise requires virgin material or supplies composed of, or manufactured from, virgin material, the contractor shall provide supplies that are new, as defined in this clause.
  - (b) Definitions:
- (1) "New" means composed of previously unused components, whether manufactured from virgin material, recovered material in the form of raw material, or materials and by-products generated from, and reused within, an original manufacturing process; provided that the supplies meet contract requirements, including but not limited to, performance, reliability, and life expectancy.
  - (2) "Reconditioned" means restored to the original normal operating condition by readjustments and material replacement.
- (3) "Recovered material" means waste materials and by-products that have been recovered or diverted from solid waste including post-consumer material, but such term does not include those materials and by-products generated from, and commonly reused within, an original manufacturing process.
  - (4) "Remanufactured" means factory rebuilt to original specifications.
- (5) "Virgin material" means previously unused raw material, including previously unused copper, aluminum, lead, zinc, iron, other metal or metal ore, or any undeveloped resource that is, or with new technology will become, a source of raw materials
  - (6) "Residual Inventory" means inventory from a transferred or terminated Government or commercial contract.
- (c) Used, reconditioned, remanufactured supplies, unused former Government surplus property, or residual inventory shall not be used unless the contractor has proposed the use of such supplies, and the Contracting Officer has authorized their use.
  - (d) Offers to provide other than new material shall be submitted to the Contracting Officer for approval:
- (1) A proposal to provide unused former Government surplus property shall include a complete description of the material, the quantity, the name of the Government agency from which acquired, and the date of acquisition.
- (2) A proposal to provide used, reconditioned, or remanufactured supplies shall include a detailed description of such supplies.
- (3) A proposal to provide residual inventory shall include the Government or commercial contract number of the terminated contract and the name of the original contractor.
  - (e) If the use of used, reconditioned, remanufactured items, unused former Government surplus property, or residual inventory are

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230 MOD/AMD

Name of Offeror or Contractor: AM GENERAL LLC

approved by the Contracting Officer, we may require you to meet specific marking, inspection, and testing requirements beyond those found in this solicitation. We will negotiate these additional requirements with you before award and put them in any resulting contract

[End of Clause]

37 52.211-4049 (TACOM)

PART NUMBERS NOT CURRENTLY APPROVED

NOV/1983

Page 20 of 25

As specified elsewhere in this solicitation, part or all of the contract item to be procured hereunder is restricted to certain approved manufacturer's part numbers as set forth in the Schedule and/or the Technical Data Package. Any firm that produces an item which it believes to be equivalent to one of these approved part numbers is hereby encouraged to have such item tested and approved, so that the item will be eligible to be bought on future acquisitions. Please write to the attention of the buyer at the address indicated on the cover page of this solicitation and request a statement of the procedures by which items can be tested and approved for procurement. Such an enquiry should cite the applicable National Stock Number (NSN), the already approved part number, the part number of the item which the enquirer believes to be identical to our approved item, and a brief statement of the basis on which the new item is believed to be equivalent to our already approved item.

[End of Provision]

38 52.211-4052

SOURCE NOTES ON DRAWINGS: CONFORMANCE TO MILITARY TECHNICAL DATA

JAN/1984

(TACOM) REOUIREMENTS

Notwithstanding the fact that ordnance drawings furnished with this solicitation may list particular manufacturer part numbers as approved sources, or as being the same as, or equivalent to, the ordnance part described on the drawing, the item to be supplied under this solicitation must conform to all specific technical requirements expressed on such drawing(s). To the extent that there may be any inconsistency between a manufacturer's part number and specific technical requirements expressed on an ordnance drawing which references the manufacturer's part number, the specific technical requirements shall control and take precedence. Offerors shall bear the responsibility of verifying that the approved part as supplied will conform with all such specific technical requirements.

[End of Provision]

39 52 211-4069 (TACOM)

WELDING INSPECTION REQUIREMENTS

MAR / 2001

- (a) INSPECTION: As the contractor, during performance of this contract you will verify weld quality and workmanship using qualified inspectors trained to perform these inspection functions. Acceptable qualification of your inspectors may be based on:
  - (1) current or previous certification as an AWS Certified Welding Inspector; or
  - (2) current or previous certification by the Canadian Welding Bureau (CWB); or
- (3) inspection performed by an engineer or technician who is competent in the use of weld inspection techniques and equipment, on the basis of (i) formal training or (ii) experience, or both, in metals fabrication, inspection, and testing.
- (b) NON BALLISTIC VISUAL INSPECTION. You will perform all non-ballistic visual inspections of weld quality and workmanship for structural steel in accordance with Section 6 of AWS D1.1-96. For structural aluminum, you may perform non-ballistic visual inspections of weld quality and workmanship using the guidelines given in MIL-STD-370A, dated 21 Sep 93.
- (c) BALLISTIC VISUAL INSPECTION. You will perform all ballistic visual inspections in accordance with section 6 of the UDLP/TACOM Ground Combat Vehicle Code--Aluminum, dated July 1996. Copies of this document can be obtained by written request to:

Commander, US Army Tank-automotive and Armaments Command ATTN: AMSTA-TR-E/Materials

Warren, MI 48397-5000

[End of Clause]

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Page 21 of 25

Name of Offeror or Contractor: AM GENERAL LLC

(a) The Government often employs contractors as system administrators to operate and maintain Government computer systems. systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is protected in some way, contracted system administrators do have the ability to access such information.

(b) Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of Clause]

- 41 52.246-4019 VISUAL INSPECTION CRITERIA FOR STEEL WELDMENTS MAR/2001 (TACOM)
- (a) Application: MIL-STD-1261
- (b) Scope:
- (1) These criteria supplement paragraph 4.3 of MIL-STD-1261 and supersede paragraph 6.3.1.5 of MIL-W-46086 and paragraph 5.9.1.5 of MIL-STD-1941. AWS A3.0 shall be used to define all other welding terms not defined herein.
- (2) The limits established below represent the maximum discontinuities allowable for visual inspection of workmanship specimens and production steel weldments. (Note: Workmanship specimens which require cross-sectioning must also be evaluated for subsurface quality; these criteria are not contained herein.) Any discontinuity exceeding this limit is classified as defective and must be reworked or repaired dependent upon the nature and extent of the discontinuity. Weldments requiring subsurface weld inspection should be evaluated in accordance with the acceptance standard specified on the drawing in addition to these requirements.
  - (c) Discontinuities:
- (1) Cracks A weld crack is defined as a linear rupture resulting from excessive localized stress. Cracks can occur in the weld metal, fusion zone or heat affected zone. No cracks are allowed
- (2) Porosity Porosity is defined as a rounded cavity free of solid material resulting from gas entrapment during solidification.
  - (i) Maximum pore size shall be 1/16 inch.
  - (ii) There shall be no more than six pores for any twelve inch length of weld. For small weldments with continuous welds less than twelve inches in length, they shall have proportionately fewer pores allowed (example: three pores maximum for six inch length of weld).
  - (3) Overlap Overlap is defined as a protrusion of weld metal beyond the bond at the toe of the weld.
    - (i) A radiused tie-in must exist with the parent metal.
    - (ii) The overlap condition must not exceed 10% of the total weld length.
- (4) Slag Inclusion Slag inclusion is defined as a non-metallic solid material entrapped in or on the weld metal or between the weld metal and base metal. This discontinuity is applicable to SMA and FCAW processes. No slag inclusions are allowed.
- (5) Undercut Undercut is defined as a groove melted into the base material adjacent to the toe of the weld and left unfilled by weld metal.
  - (i) For base materials .25 inch and less in thickness, no undercutting is permitted.
  - (ii) For base materials greater than .25 inch thickness:
    - (A) The maximum depth of undercut shall be 1/32 inch.
    - (B) The undercut must have a width not less than twice the depth.

CO	NTINI	TA TION	ISHEET	
			ייויי	

MOD/AMD

PIIN/SIIN W56HZV-04-P-0230

Name of Offeror or Contractor: AM GENERAL LLC

(C) The length of undercut shall not exceed two inches cumulative in any continuous 24 inch length of weld. For continuous welds less than 24 inches in length, the maximum cumulative length shall be in direct proportion to this limit or one inch, whichever is greater. (For example: for an eight inch continuous length of weld, maximum cumulative allowable undercut length is one inch).

#### (d) Weld Size:

- (1) Fillet Welds:
  - (i) Fillet welds shall be measured using fillet weld gages.
  - (ii) For welds one-fourth inch and less, the weld size is the minimum as specified on the drawing symbol.
  - (iii) For fillet welds larger than one-fourth inch, the weld may be undersize by 1/16 inch for a maximum length of 10% of the continuous weld length.
- (2) <u>Groove Welds:</u> No underfill is allowed.

[End of Clause]

42 52.246-4026 LOCAL ADDRESS FOR DD FORM 250 (TACOM)

MAR/2002

Page 22 of 25

- (a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:
  - (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil

- (2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:
  - (586) 574-7326 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

- (b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.
  - (c) The DD250 form may be found, in three different formats, on the World Wide Web at http://web1.whs.osd.mil/icdhome/DD-0999.htm

[End of Clause]

43 52.247-4005 SHIPMENT OF SUPPLIES AND DETENTION OF CARRIER'S EQUIPMENT

AUG/2003

- (a) Unless otherwise directed, shipment items under this contract in following order of priority:
  - (1) Government/Commercial Bills of Lading or US Postal Services;
  - (2) Prepaid Commercial Bill(s) of Lading with transportation charges entered as a separate item on the invoice; or
  - (3) As otherwise instructed when the contract prohibits use of Government funds for transportation costs.
- (b) The Contractor will request:
  - (1) Government Bills of Lading and
- (2) Routing and other instructions, including Defense Transportation Regulation (DTR), DOD Regulation 4500.9-R-Part 2 Cargo Movement, as to the methods of shipment to be followed by the Contractor, or
- (c) The Contractor and subcontractor(s) must allow prompt and convenient access of carrier's equipment to loading docks or platforms where the contract items supplies will be loaded. Any charges for detention of carrier's equipment shall be for the account of the

# Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0230

MOD/AMD

Page 23 of 25

Name of Offeror or Contractor: AM GENERAL LLC

Contractor, except when the detention is required or caused by the Government.

		[End	of Clause]		
44	52.247-4010 (TACOM)	TRANSPORTATION DATA FOR FOB (	ORIGIN OFFERS	FEB/1994	
		information for us to use in a f transportation costs.	selecting the most favorable	mode of shipment. We'll also use thi	is
	Offeror represents th	<u>at:</u>			
	(1) Facilities for s	hipping by rail			
	[ ] are [ ] are not				
vailable	at the F.O.B. point(s	) stated in this solicitation.			
	(2) If rail faciliti	es are not available at the F. $\alpha$	O.B. point(s), the name and	location of the nearest team track is:	:
	(	NAME)	(LOCATION)		
	(3) Facilities for s	hipping by water			
	[ ] are [ ] are not				
vailable	at the F.O.B. point(s	) stated in this solicitation.			
	(4) Facilities for s	hipping by motor			
	[ ] are [ ] are not				
vailable	at the F.O.B. point(s	) stated in this solicitation.			
lease ind	(5) If there is a Co licate it below, per u		Charge and you didn't includ	le it in the offered unit price in Sect	tion B,
	RAIL:/	Unit MOTOR:/Un	nit WATER:	_ /Unit	
		BURSABLE LOADING CHARGE (NOT A) HE SCHEDULE PAGE, SECTION B, UI		PRICE) ON A PER UNIT BASIS. THE	UNIT
				on of this solicitation. Unless you f	

- in Section B. These costs include: (i) loading, (ii) blocking, (iii) bracing, (iv) drayage, (v) switching, or (vi) any other service necessary to effect delivery F.O.B. carrier's equipment you've indicated as available and we specify at time of shipment.
- (c) If rail facilities aren't available at the designated F.O.B. point(s), rail won't be used unless directed by the Administrative Contracting Officer (ACO). If the ACO tells you rail facilities will be used, we'll adjust the contract price by adding the loading charge filled in above for transportation to the nearest rail facility.
- (d) IF YOU DO NOT FILL IN AN ADDITIONAL CHARGE FOR RAIL SHIPMENT ABOVE, YOU AGREE THAT THE CONTRACT PRICE ALREADY INCLUDES ALL CHARGES FOR SUCH SHIPMENTS. THEREFORE, SHIPMENT BY RAIL WILL NOT COST US ANY MORE.

CONTINUATION SHEET		Reference No. of Document Being Continued		Page 24 of 25			
		PIIN/SIIN W56HZV-04-P-0230	MOD/AMD				
Name of Offeror or Contractor: AM GENERAL LLC							
45	52.247-4016 HEAT TRE	ATMENT AND MARKING OF WOOD PACKAGING MA	TERIALS	JUL/2002			

(TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

CONTI	MILATION CHEET	Reference No. of Document Being Continued		Page 25 of 25				
CONTINUATION SHEET		PIIN/SIIN W56HZV-04-P-0230	MOD/AMD					
Name of Offeror or Contractor: AM GENERAL LLC								
LIST OF ATTACHMENT	rs							
List of Addenda		Title		umber Pages Transmitted By				
Exhibit A	TDP IS ON THE WEB PAGE	11010		<u> </u>				